

ΚΑΤΑΛΟΓΟΣ

ΕΙΔΩΝ ΑΦΡΙΣΜΟΥ 2017



Vikan has the solution to all your cleaning and hygiene problems. Through our many years' experience we have accumulated comprehensive product and development skills which make us your obvious supplier of cleaning implements and equipment.

Wide and extensive assortment

As Vikan's assortment is both wide and extensive, we can offer customised solutions which exactly suit your needs and comply with statutory requirements in terms of hygiene, health, ergonomics, environment, documentation etc.

Focus on research and development

Vikan is an innovative company focusing on research and development. Our products are not only known for their efficiency and sustainability, but are also recognised as being at the cutting-edge of technology and development.

We create value for our customers

Vikan constantly endeavours to integrate the latest knowledge in our solutions, thereby creating value for you the customer.

Vikan has unique solutions for every purpose within:

The food & beverage sector

Kitchens and restaurants

The healthcare sector

Education & municipalities

Retail & supermarkets

The transport sector

All products



Foaming Equipment & Water Guns

Water gun

Foam sprayer



| | |
|--------------------|-----------------------|
| Box Quantity, Pcs. | 1 |
| Max. bars pressure | 25 |
| Material | Chromium-plated brass |

Tap coupling, male w/reducing piece, 1/2"

Item Number: 0700

For water tap with 1/2", 3/4" or M22 mm inside thread



| | |
|--------------------|-----------------------|
| Box Quantity, Pcs. | 1 |
| Max. bars pressure | 25 |
| Material | Chromium-plated brass |

Hose Coupling, 1/2"

Item Number: 0701

1/2" hose coupling fits between 1/2" hose and quick coupling, 0700.



| | |
|--------------------|-----------------------|
| Box Quantity, Pcs. | 1 |
| Max. bars pressure | 25 |
| Material | Chromium-plated brass |

Automatic Watertight Coupling, 1/2"

Item Number: 0703

1/2" automatic watertight coupling with water stop when disconnected from quick coupling.



| | |
|--------------------|-----------------------|
| Box Quantity, Pcs. | 1 |
| Max. bars pressure | 25 |
| Material | Chromium-plated brass |

Male Coupling, 1/2"

Item Number: 0705

To be used for connecting two 1/2" hoses.



| | |
|--------------------|-----------------------|
| Box Quantity, Pcs. | 10 |
| Max. bars pressure | 25 |
| Material | Chromium-plated brass |

Hose coupling for hose with pivot joint, 1/2"

Item Number: 070652

1/2" coupling with pivot joint for 1/2" hose



| | |
|--------------------|-----------------------|
| Box Quantity, Pcs. | 10 |
| Max. bars pressure | 25 |
| Material | Chromium-plated brass |

Adapter Gardena/Hozelock/Quick coupling, 1/2"

Item Number: 070752

Adapter 1/2" quick coupling with 1/2" Gardena/Hozelock connection.



| | |
|--------------------|-----------------------|
| Box Quantity, Pcs. | 1 |
| Max. bars pressure | 25 |
| Material | Chromium-plated brass |

Quick Fit Hose Coupling w/1/2" thread for 9324x, 1/2"

Item Number: 0712

1/2" quick coupling. Fits into 9324x.



| | |
|--------------------|-----------------------|
| Box Quantity, Pcs. | 1 |
| Max. bars pressure | 25 |
| Material | Chromium-plated brass |

Hosenipple, 1/2" & 3/4"

Item Number: 0708

1/2" and 3/4" hose nozzle. The nozzle can be screwed directly onto 9324.



| | |
|--------------------|-----------------------|
| Box Quantity, Pcs. | 10 |
| Max. bars pressure | 25 |
| Material | Chromium-plated brass |

Hose coupling 1/2" for 3/4" hose

Item Number: 071352

1/2" hose coupling for 3/4" hose



| | |
|--------------------|-----------------------|
| Box Quantity, Pcs. | 10 |
| Max. bars pressure | 25 |
| Material | Chromium-plated brass |

Adapter Gardena/Hozelock/Quick coupling, 1/2"

Item Number: 070952

Adapter w/thread for 1/2" Gardena/Hozelock coupling.



| | |
|--------------------|-----------------------|
| Box Quantity, Pcs. | 1 |
| Max. bars pressure | 25 |
| Material | Chromium-plated brass |

Quick Fit Hose Coupling w/1/2" thread 9324x, 3/4"

Item Number: 0715

3/4" Quick coupling with 1/2" thread. Fits into 9324x water gun.



| | |
|--------------------|-----------------------|
| Box Quantity, Pcs. | 1 |
| Max. bars pressure | 25 |
| Material | Chromium-plated brass |

Hose coupling, 3/4"

Item Number: 0716

3/4" hose coupling fits on 3/4" hose. Fits 0715 and 3/4" hose.



| | |
|--------------------|------|
| Box Quantity, Pcs. | 4 |
| Max. bars pressure | 10 |
| Material | HDPE |

Spare container, 1.4 Litre(s),

Item Number: 9310

Spare container for foam sprayer, 9301x and 9305x.



| | |
|---|-----------------------------|
| Box Quantity, Pcs. | 1 |
| Volume, Litre(s) | 2,5 |
| Min. Bars pressure, Bar | 2 |
| Max. bars pressure | 10 |
| Material | Brass,Orgalloy,HDPE,TSGZ 15 |
| Max. usage temperature (for food contact), °Celsius | 60 |

Ergo foam sprayer, incl. jet spray, 1/2", 2.5 Litre(s),

Item Number: 9301

Cleaning in sanitary and small processing areas. Foam is applied with the foam sprayer without aerosols at normal water pressure. Always correct dosage ratio at 0.4-10%. Identification of chemicals facilitated by the colour-coding of the container. Use Safeone, 9340 as protection against chemical reflux in potable water supplies. Approved according to EN 1717 - substance class 3.



| | |
|--------------------|------|
| Box Quantity, Pcs. | 1 |
| Max. bars pressure | 10 |
| Material | HDPE |

Spare container, 2.5 Litre(s),

Item Number: 9311

Spare container for foam sprayer, 9301x and 9305x.



| | |
|---|-----------------------------|
| Box Quantity, Pcs. | 1 |
| Volume, Litre(s) | 1,4 |
| Min. Bars pressure, Bar | 2 |
| Max. bars pressure | 10 |
| Material | Brass,Orgalloy,HDPE,TSGZ 15 |
| Max. usage temperature (for food contact), °Celsius | 40 |

Foam sprayer incl. jet spray, 1/2", 1.4 Litre(s),

Item Number: 9305

Cleaning in sanitary and small processing areas. Foam is applied with the foam sprayer without aerosols at normal water pressure. Always correct dosage ratio at 0.4-10%. Identification of chemicals facilitated by the colour-coding of the container. Use Safeone, 9340 as protection against chemical reflux in potable water supplies. Approved according to EN 1717 - substance class 3.



| | |
|--------------------|---------------------------|
| Box Quantity, Pcs. | 1 |
| Max. bars pressure | 10 |
| Material | Chromium-plated brass,PVC |

Ergo injector with suction hose, 1/2 ", Black

Item Number: 93139


Ergonomic and solid handle with foam injector for foam cleaning. Water and chemicals are always mixed in correct dosage ratio 0.15 - 10% and are foamed on the surfaces. Fit both large and small container. Suction hose and filter provided.

| | | |
|---|--------------------|---------------------------|
|  | Box Quantity, Pcs. | 3 |
| | Max. bars pressure | 10 |
| | Material | Chromium-plated brass,PVC |

Injector with suction hose, Black

Item Number: 93149

Foam injector for foam cleaning. Water and chemicals are always mixed in correct dosage ratio 0.40 - 10% and are foamed on the surfaces. Fit both large and small container. Suction hose and filter provided.

| | | |
|--|--------------------|--------------------------------|
|  | Box Quantity, Pcs. | 4 |
| | Max. bars pressure | 6 |
| | Material | Orgalloy,Chromium-plated brass |

Combi watergun for foam sprayer, Black

Item Number: 93209

For use in connection with foam cleaning to be mounted with nozzle. Functional design with continuously variable water supply. Wheel dresser equipped with closing and opening device. Connected with 0.5 inch clutch housing.

| | | |
|--|--------------------|-----|
|  | Box Quantity, Pcs. | 1 |
| | Max. bars pressure | 10 |
| | Material | PVC |

Suction hose for injector, 93139 & 93149, White

Item Number: 93175


Suction hose with filter for foam injector and spray injector.

| | | |
|---|--------------------|---|
|  | Box Quantity, Pcs. | 1 |
| | Max. bars pressure | 12 |
| | Material | Polyamide,Polypropylene,Chromium-plated brass |

Ergonomic watergun for Foam sprayer, Black

Item Number: 93219

For use in connection with foam cleaning to be mounted with nozzle. Ergonomically designed hot water pistol with thermal protection of the handle. The wheel dresser is equipped with protection device against activation and can be locked. Made of shock resistant composite material. Connected with 0.5 inch clutch housing.

| | | |
|---|--------------------|-------|
|  | Box Quantity, Pcs. | 1 |
| | Material | Vinyl |

Plastic lid for container, Black

Item Number: 93189

Protection against chemical evaporation when the container is not in use. If the container tips over, this will also provide protection against chemical spillage.

| | | |
|--|---|--------------------------------|
|  | Box Quantity, Pcs. | 1 |
| | Max. bars pressure | 6 |
| | Material | Orgalloy,Chromium-plated brass |
| | Max. usage temperature (for food contact), °Celsius | |

Spraying gun, Black

Item Number: 93229

The water gun is used for cold water flushing and cleaning. Adjustable nozzle for focussed jet or full spread. Steplessly variable water supply. Wheel dresser equipped with closing and opening device and connected to 1/2" clutch housing.



| | |
|---|-----------------------------------|
| Box Quantity, Pcs. | 1 |
| Max. bars pressure | 24 |
| Material | Brass,EPDM rubber,Stainless Steel |
| Max. usage temperature (for food contact), °Celsius | |

Heavy Duty Water Gun,

Item Number: 9324

Suitable for cleaning floors and machinery including rinsing off work surfaces and walls after chemical foaming. Squeezing the rubber isolated trigger determines the jet pattern. The water jet can also be adjusted using the screw at the end of gun. The arrow on the gun shows the water spray direction. Use 0712, 1/2" or 0715, 3/4" hose nipples to be screwed into the bottom of the gun.



| | |
|---|---------------------------|
| Box Quantity, Pcs. | 1 |
| Max. bars pressure | 12 |
| Couplings Size, " | 1/2 |
| Material | PVC,Chromium-plated brass |
| Max. usage temperature (for food contact), °Celsius | 40 |

Cold water hose, 1/2", 10000 mm, White

Item Number: 93315

For cleaning where cold water is used at a maximum of 40° C. 0.5 inch hose ready for use. 0.5 inch clutch housing connected in both ends of the hose. Nipple for water tap provided for 0.5 inch, 0.75 inch and M22x1 screw thread types.



| | |
|---|---------------------------|
| Box Quantity, Pcs. | 1 |
| Max. bars pressure | 12 |
| Couplings Size, " | 1/2 |
| Material | PVC,Chromium-plated brass |
| Max. usage temperature (for food contact), °Celsius | 40 |

Cold water hose, 1/2", 15000 mm, White

Item Number: 93325

For cleaning where cold water is used at a maximum of 40° C. 0.5 inch hose ready for use. 0.5 inch clutch housing connected in both ends of the hose. Nipple for water tap provided for 0.5 inch, 0.75 inch and M22x1 screw thread types.



| | |
|---|---------------------------|
| Box Quantity, Pcs. | 1 |
| Max. bars pressure | 20 |
| Couplings Size, " | 1/2 |
| Material | PVC,Chromium-plated brass |
| Max. usage temperature (for food contact), °Celsius | 70 |

Hot Water Hose, 1/2", 10000 mm, Blue

Item Number: 93353

For cleaning where water is used at a maximum of 70° C. 1/2" clutch housing connected in both ends of the hose. Nipple for water tap provided for 1/2" inch, 3/4" and M22x1 screw thread types.



| | |
|---|---------------------------|
| Box Quantity, Pcs. | 1 |
| Max. bars pressure | 20 |
| Couplings Size, " | 1/2 |
| Material | PVC,Chromium-plated brass |
| Max. usage temperature (for food contact), °Celsius | 70 |

Hot Water Hose, 1/2", 15000 mm, Blue

Item Number: 93363

For cleaning where water is used at a maximum of 70° C. 1/2" clutch housing connected in both ends of the hose. Nipple for water tap provided for 1/2" inch, 3/4" and M22x1 screw thread types.



| | |
|---|---------------------------|
| Box Quantity, Pcs. | 1 |
| Max. bars pressure | 20 |
| Couplings Size, " | 1/2 |
| Material | PVC,Chromium-plated brass |
| Max. usage temperature (for food contact), °Celsius | 70 |

Hot Water Hose, 1/2", 20000 mm, Blue

Item Number: 93373

For cleaning where water is used at a maximum of 70° C. 1/2" clutch housing connected in both ends of the hose. Nipple for water tap provided for 1/2" inch, 3/4" and M22x1 screw thread types.





| | |
|--------------------|-----------------------|
| Box Quantity, Pcs. | 8 |
| Max. bars pressure | 25 |
| Material | Chromium-plated brass |

SafeOne, back flows prevention, 1/2"

Item Number: 9340

Should be used with foam sprayers, 9300, 9301, 9305 and 9306 as protection against chemical backflow prevention into the watersupply system.



| | |
|--------------------|------------------------|
| Box Quantity, Pcs. | 1 |
| Max. bars pressure | 10 |
| Material | Glass reinforced,Nylon |

Jet spray plastic, 1/2"

Item Number: 9350

For mounting on foaming guns, 93209 and 93219 for rinsing of the chemicals after foaming.



| | |
|--------------------|-----------------|
| Box Quantity, Pcs. | 1 |
| Material | Stainless Steel |

Stainless steel hose suspension

Item Number: 9345

Hose suspension for wall mounting. Max. 20 meter hose.



| | |
|--------------------|--------------------------|
| Box Quantity, Pcs. | 1 |
| Max. bars pressure | 12 |
| Material | Anodised Aluminium,Brass |

Angled jet spray, small nozzle, 1/2"

Item Number: 9352

For mounting on foaming guns, 93209 and 93219 for rinsing of the chemicals after foaming.



| | |
|--------------------|-----------------|
| Box Quantity, Pcs. | 1 |
| Material | Stainless Steel |

Stainless steel suspension for foam sprayer, 9301x/9305x

Item Number: 9348

Hose and foam sprayer suspension for wall mounting. Max. 20 meter hose.



| | |
|--------------------|--------------------------------|
| Box Quantity, Pcs. | 1 |
| Max. bars pressure | 25 |
| Material | Orgalloy,Chromium-plated brass |

Adjustable nozzle, 1/2"

Item Number: 9354

Adjustable nozzle to be mounted directly on the foaming gun for rinsing of your chemicals.

| | | |
|---|--------------------|---------------|
|  | Box Quantity, Pcs. | 10 |
| | Max. bars pressure | |
| | Material | Polypropylene |

Set of nozzles

Item Number: 9378


Nozzle kit for foam sprayers, cleaning stations, dosing device, injectors, chemical suction hoses. Dosage from 10% to 0.40%.

| | | |
|--|--------------------|---------------------------|
|  | Box Quantity, Pcs. | 15 |
| | Max. bars pressure | 20 |
| | Material | PVC,Chromium-plated brass |

Outlet hose, 1500 mm, 1/2"

Item Number: 94415

White discharge hose for dosing stations and dosing device. 0.5 inch clutch housing mounted for quick connection.

| | | |
|--|--------------------|-----------------|
|  | Box Quantity, Pcs. | 1 |
| | Max. bars pressure | |
| | Material | Stainless Steel |

Stainless steel wire rack, 200 x 135 mm

Item Number: 9430

Rack for wall mounting. To be used for 5 Liter containers.

| | | |
|--|--------------------|---------------------------|
|  | Box Quantity, Pcs. | 1 |
| | Max. bars pressure | 10 |
| | Material | POM,Chromium-plated brass |

Dilution unit for several products, 1/2"

Item Number: 9472


For accurate dosing of chemicals from 0.2% to 9% in bottles, small buckets and floor cleaning machines for optimum cleaning each time and saving on chemicals. The dosing unit is approved with reflux protection device. Wall mounted or directly on the water tap. Connected with 0.5 inch clutch housing.

| | | |
|---|--------------------|-----------------|
|  | Box Quantity, Pcs. | 1 |
| | Max. bars pressure | |
| | Material | Stainless Steel |

Stainless steel wire rack, 285 x 195 mm

Item Number: 9431

Rack for wall mounting. To be used for 10 Liter containers.

| | | |
|--|--------------------|---|
|  | Box Quantity, Pcs. | 4 |
| | Max. bars pressure | 10 |
| | Material | POM,Chromium-plated brass,Polypropylene |

Suction hose set, 1/8"

Item Number: 9481

PVC 1.5 metre suction hose with reflux valve for dosing unit for several products, item numbers 9472 and 9477. Nozzle kit provided.





Vikan is the leader in advancing hygienic cleaning for customers in safety critical environments where hygiene is a fundamental business driver. Our tools and solutions are designed to deliver in terms of health, safety and environment through quality control and plant management to infection control.

Vikan strives to make cleaning simpler, easier and more effective in sectors such as food and drink processing, healthcare, kitchens and restaurants, retail and supermarkets, education and local authorities, and transport. We work collaboratively with customers to maintain a clear and thorough understanding of their market challenges and needs.

Vikan's systems are designed to improve and raise the visibility of internal hygiene control, support HACCP compliance, and make it easier to maintain and document protocols for internal and external audits. We provide customers with pragmatic, environmentally conscious solutions that are easy to understand and simple to implement, and offer money saving guidance on product selection, cleaning protocols and tool storage to maximise the tools' lifespan.

All Vikan solutions are designed around materials approved for use in health and food preparation environments, comply with US and European legislation, and are licensed under food safety and eco-label systems. Leading edge innovations include pre-prepared microfibre mops, cloths and brushes for efficient, effective and hygienic cleaning; colour-coded tools for use in environments where avoidance of cross contamination is key; ergonomic and adjustable tool designs for operator comfort; and tools made from FDA compliant materials and live up to the EU regulation 10/2011 for applications in the food industry.

We maintain complete control over our quality, environmental and security credentials as all product development, testing and manufacture takes place in Denmark.

ΑΝΤΙΠΡΟΣΩΠΟΣ ΕΛΛΑΔΟΣ:
ELCAWEAR ΑΕ
Λ. ΙΩΝΙΑΣ 110, 13671 ΑΧΑΡΝΕΣ
Τηλ. 211-8003466, Fax. 211-8004732
info@elcawear.gr - www.elcawear.gr

